

#### Limitless Grade 2 for Hospitality, **Multi-Family, Commercial and More!**

- 8 mechanical functions, non-keyed, keyed and dummy
- 5 designer levers, 4 architectural finishes
  Conventional and SFIC cylinders
- Removeable through bolts makes for an easy installation
- Retrofits all major manufacturer's door preps
- Shares common levers with SF cylindrical and CL interconnected. Mix and match for a coordinated design



#### **APPLICATIONS**



HOSPITALITY



**MULTI-FAMILY** HOUSING



SENIOR LIVING





STUDENT HOUSING



#### **SPECIFICATIONS**

FOR DOORS:	• 1-3/8" to 1-3/4" thick • Preset for 1-3/4" door				
APPLICATION:	Through door thru-bolting     Fits standard 160 and 161 Door prep     Thru-Bolts are removable				
BACKSET:	• 2-3/4" standard • 2-3/8", 3-3/4", 5" optional				
CHASSIS:	Heavy-gauge cold rolled steel mechanism     Dichromated for corrosion resistance				
FRONT:	• 2-1/4" x 1-1/8" or 2-1/4" x 1" • Beveled 1/8" on 2" • Stainless Steel or Wrought Brass				
STRIKE:	ASA standard     T-Strike or Full Lip Strike optional     Stainless Steel or Wrought Brass				
LEVERS:	• Philadelphia, Boston, Miami, Memphis, Orlando				
ROSE:	• 3-3/8" DIA Wrought				
LATCHBOLT:	• 1/2" Throw				
HAND:	Non-handed (Except Memphis)				
TRIM:	Solid diecast PHL, BSN, MIA, MEM and ORL Levers     Wrought Brass Roses     Concealed Screws				
KEYS:	• Two (2) per Lock				
KEYWAYS:	SCC standard (Schlage C Compatible)     Also available in keyways of other manufacturers				
INTERCHANGEABLE CORE:	• 6 or 7-pin • Compatible with Best, Falcon & Arrow. Not available with Memphis lever.				
CYLINDER:	• 6-pin Brass Insert Cylinder keyed to 5-pins     • Standard High Security and UL437 Cylinders Available				
KEYING:	<ul> <li>Options: MK, CMK or GMK / Zero Bitted (KO), Keyed Different (KD) or Keyed Alike (KA)</li> <li>Can be keyed into existing master key systems</li> </ul>				
FINISHES:	• 605 (US3), 613 (US10B), 622 (19D), 626 (US26D)				
CERTIFICATIONS, LISTINGS, COMPLIANCES:	<ul> <li>UL listed for 3 hrs, for single doors up to 4'0" x 8'0"</li> <li>Certified to ANSI/BHMA A156.2 Grade 2</li> <li>Complies with ADA (Americans with Disabilities Act) and ICC/ANSI 117.1 for Accessible and Usable Buildings</li> </ul>				
	Meets requirements of the Buy American Act.				
WARRANTY:	• Five (5) year Limited Warranty				



# **SD SERIES** Grade 2 Cylindrical Lock




#### LEVERS












**TRIM** 

#### **FINISHES**



### **PDQ FUNCTIONS**

FUNCTION		INSIDE DESCRIPTION		ANSI NUMBER
		N	ON KEYED	
Communicating	SD125	<ul> <li>Latchbolt operated by inside lever</li> <li>Blank plate outside</li> <li>Minimum clearance of 1-1/2" between doors</li> <li>Deadlocking (guarded) latchbolt</li> </ul>		_
Passage	SD126		Latchbolt operated by lever from either side at all times	F75
Privacy Bedroom Bathroom	SD176		<ul> <li>Latchbolt operated by lever from either side or emergency release in outside lever</li> <li>Outside lever locked by push button on inside</li> <li>Outside lever unlocked by emergency release from outside, rotating inside lever, or closing door</li> </ul>	F76
Single Dummy	SD211		<ul><li>Pull lever one side</li><li>No mechanical operation</li></ul>	_



#### INDICATES RIGID LEVER



# **SD SERIES** Grade 2 Cylindrical Lock

# **PDQ FUNCTIONS**

FUNCTION	FUNCTION NUMBER			ANSI NUMBER
			KEYED	
Storeroom	SD115		<ul> <li>Latchbolt operated from outside by key, inside by lever</li> <li>Outside lever always fixed</li> <li>Inside lever always free</li> <li>Deadlocking (guarded) latchbolt</li> </ul>	F86
Entrance	SD116		<ul> <li>Latchbolt operated by lever from either side or key in outside lever</li> <li>Outside lever locked by push/turn button on inside</li> <li>When outside lever is locked by push button on inside – key from outside, or rotating inside lever unlocks outside lever</li> <li>When outside lever is locked by pushing and turning the but- ton on the inside, key from outside or rotating inside lever retracts latch but does not unlock outside lever</li> <li>Deadlocking (guarded) latchbolt</li> </ul>	F109
Classroom	SD148		<ul> <li>Latchbolt operated by lever from either side</li> <li>Outside lever locked or unlocked by key from outside</li> <li>Inside lever always operates latch</li> <li>Deadlocking (guarded) latchbolt</li> </ul>	F84
Entry	SD182		<ul> <li>Latchbolt operated by lever from either side or key in outside lever</li> <li>Outside lever locked by push button on inside</li> <li>Outside lever unlocked by key from outside, and rotating inside lever</li> </ul>	F82
			DUMMY	
Single Dummy	SD211		<ul> <li>Pull lever one side</li> <li>No mechanical operation</li> <li>INDICATES RIGID LEVER</li> </ul>	-

# LOCK CROSS REFERENCE

ANSI # / FUNCTION	PDQ	ARROW	CAL ROYAL	CORBIN	DORMA	FALCON	HAGER	SARGENT	YALE
F75/PASSAGE	SD 126	RL01	SL30	CL3710	C510	W101	2510	6U15	4601LN
F76/PRIVACY	SD 176	RL02	SL20	CL3720	C540	W301	2540	6U65	4602LN
F109/ENTRANCE	SD 116	RL11	SL01	CL3751	C553	W511	2553	65G37	4607LN
F84/CLASSROOM	SD 148	RL17	SL03	CL3755	C570	W561	2570	6G37	4608LN
F86/STORE ROOM	SD 115	RL12	SL05	CL3759	C580	W581	2580	6G04	4605LN
SINGLE DUMMY	SD 211	RL08	SL40	CL3750	C501	W12	2517	6U93	4655LN

# LEVER CROSS REFERENCE

PDQ	ARROW	CAL ROYAL	CORBIN	DORMA	FALCON	HAGER	SARGENT	YALE
MIAMI — MIA		AG	AZD	LG			В	MO
PHILADELPHIA - PHL	BRR	GN	NZD	LR	D	WTS	L	AU
BOSTON – BSN	SR	SPA	PZD	LC	Q	ARC	Р	PB
MEMPHIS - MEM								
ORLANDO – ORL								




# **SD SERIES** Grade 2 Cylindrical Lock

### CYLINDERS/CORES/KEYWAYS

PDQ cylinders and cores are designed to interface with the keyways of most major lock manufacturers. Insert cylinders are designed to accept 6 pins and are combinated for 5 pins. These cylinders are shipped with two keys. Interchangeable core cylinders are available combinated or uncombinated for 6 and 7 pins and must be specified when ordering. Available in two finishes—606 (US4) and 626 (US26D).







Small Format Interchangeable Core.

# **CYLINDERS & CORES**

DESCRIPTION		
	Conventional Key In Knob/Lever Cylinder	6 Pin
	Small Format, Best <sup>®</sup> Compatible - Uncombinated	6 Pin 7 Pin
- Contraction of the second se	Small Format, Best <sup>®</sup> Compatible - Combinated	6 Pin 7 Pin

# **HIGH SECURITY CYLINDERS & CORES**

DESCRIPTION	PINS
Key in Knob/Lever Cylinder Key in Knob/Lever Cylinder - UL437	6 Pin 6 Pin
Small Format, Best <sup>®</sup> Compatible - Combinated Small Format, Best <sup>®</sup> Compatible - Combinated	6 Pin 7 Pin

### **KEYWAYS**

CONVENTIONAL CYLINDER		SMALL FORMAT INTERCHANGEABLE CORE			
KEYWAY	PDQ KEYWAY DESIGNATOR	KEYWAY (BEST COMPATIBLE)	PDQ KEYWAY DESIGNATOR		
Schlage C (Default)	SCC				
PDQ Restricted	ТА	BEST A (Default), B,	A (Default), B, C, D,		
Arrow AR1	ARA	C, D, E, F, G, H, J, K, L, M, Q, R, WA, WB,	E, F, G, H, J, K, L, M,		
Corbin 59A1	CO59A1	WG, WH, TB, TD,	Q, R, WA, WB, WG,		
Corbin 60	CO6	TE, R	WH, TB, TD, TE, R		
Corbin L4	CL4	,			
Russwin D1	RUD	PDQ Exclusive	PDQ1		
Russwin 981	RUD981	PDQ Exclusive	PDQ2		
Schlage E	SCE	PDQ Exclusive and Restricted	PDQ3		
Schlage C	SCC				
Schlage C-K	SCC-K				
Sargent LA	SAL				
Sargent RA-RC	RA-RC				
Yale E1R	YA8				
Yale GA	GA				
Falcon E-R	FAL				
Kwikset	KW				

# **KEYING**

DESCRIPTION	PDQ KEYING DESIGNATOR
Keyed Different (Default)	KD
Keyed Alike	KA
"O" Zero Bitted	ко
Master Keyed	МК
Construction Master Keyed	СМК
Grand Master Keyed	GMK



PDQ Manufacturing 2230 Embassy Drive Lancaster, PA 17603

800.441.9692 | help@pdqlocks.com